🔉 ovaga

MC3403PG

Data Sheet

Single Supply Quad Operational Amplifiers, Op Amps 3-36V Quad 10mV VIO Commercial Temp

Manufacturers	ON Semiconductor, LLC	
Package/Case	PDIP-14	2
Product Type	Amplifier ICs	
RoHS	Rohs	
Lifecycle		Images are for reference only
Please submit RFQ for MC3403PG or <u>Email to us: sales@ovaga.com</u> We will contact you in 12 hours.		

General Description

The MC3403 is a low cost, quad op-amp with true differential inputs. The device has electrical characteristics similar to the popular MC1741C. However, the MC3403 has several distinct advantages over standard operational amplifier types in single supply applications. The quad op-amp can operate at supply voltages as low as 3.0 V or as high as 36 V with quiescent currents about one third of those associated with the MC1741C (on a per amplifier basis). The common mode input range includes the negative supply, thereby eliminating the necessity for external biasing components in many applications. The output voltage range also includes the negative power supply voltage.

Features

Short Circuit Protected Outputs

- Class AB Output Stage for Minimal Crossover Distortion
- True Differential Input Stage
- Single Supply Operation: 3.0 V to 36 V
- Split SupplyOperation: $\pm 1.5 \text{ V}$ to $\pm 18 \text{ V}$
- Low Input Bias Currents: 500 nA Max
- Four Amplifiers Per Package
- Internally Compensated
- Similar Performance to Popular MC1741C
- Industry Standard Pinouts
- ESD Diodes Added for Increased Ruggedness

Related Products



MC33204DR2G

ON Semiconductor, LLC SOIC-14



MC3403DG

ON Semiconductor, LLC SOIC-14



ON Semiconductor, LLC SOIC-14

MC33074DR2G



MC33204DTBR2G ON Semiconductor, LLC TSSOP-14





MC33178P

MC34074ADG

ON Semiconductor, LLC





Application

ONSEMI

ON Semiconductor, LLC

SOIC-14

MC33201PG

ON Semiconductor, LLC 8-PDIP

MC34074VDG

ON Semiconductor, LLC SOIC-14