

MIC29502WU-TR

Data Sheet

IC REG LDO ADJ 5A TO263-5

Manufacturers <u>Microchip Technology, Inc</u>

Package/Case DDPAK-5

Product Type Power Management ICs

RoHS

Lifecycle Images are for reference only

Please submit RFQ for MIC29502WU-TR or Email to us; sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

The MIC29150/29300/29500/29750 are high-current, high-accuracy, low-dropout voltage regulators. Using proprietary Super β ta PNP® process with a PNP pass element, these regulators feature 350mV to 425mV (full load) typical dropout voltages and very low ground current. Designed for high-current loads, these devices also find applications in lower current, extremely low dropout-critical systems, where their tiny dropout voltage and ground current values are important attributes.

The MIC29150/29300/29500/29750 are fully protected against overcurrent faults, reversed input polarity, reversed lead insertion, overtemperature operation, and positive and negative transient voltage spikes. Five-pin fixed voltage versions feature logic-level on/off control and an error flag which signals whenever the output falls out of regulation. Flagged states include low input voltage (dropout), output current limit, overtemperature shutdown, and extremely high voltage spikes on the input.

On the MIC29xx1 and MIC29xx2, the enable pin may be tied to VIN if it is not required for on/off control. The MIC29150/29300/29500 are available in 3-pin and 5-pin TO-220 and surface-mount TO-263 (D2Pak) packages.

The MIC29750 7.5A regulators are available in 3-pin and 5-pin TO-247 packages. The 1.5A, adjustable output MIC29152 is available in a 5-pin power D-Pak (TO-252) package.

For applications with an input voltage of 6V or below, see MIC37xxx LDOs.

Features

High current capability

MIC29300/29301/29302/29303: 3A

MIC29500/29501/29502/29503: 5A

MIC29750/29751/29752: 7.5A

Low dropout voltage

Low ground current

Accurate 1% guaranteed tolerance

Extremely fast transient response

Reverse-battery and load dump protection

Zero-current shutdown mode (5-pin versions)

Error flag signals output out-of-regulation (5-pin versions)

Also characterized for smaller loads with industry-leading performance specifications

Fixed voltage and adjustable versions

Related Products



MIC94325YMT-TR

Microchip Technology, Inc UDFN-6



MIC2009A-1YM6-TR

Microchip Technology, Inc SOT-23-6



MIC5841YWM-TR

Microchip Technology, Inc SOIC-18



MIC29152WT

Microchip Technology, Inc TO-220-5



MIC4684YM

Microchip Technology, Inc SOIC-8



MIC2090-1YM5-TR

Microchip Technology, Inc SOT-23-5



MIC5891YN

Microchip Technology, Inc PDIP-16



MIC5209YM

Microchip Technology, Inc SOIC-8