

TCA0372DWG

Data Sheet

<u>RFO</u>

ON SEMICONDUCTOR TCA0372DWG Operational Amplifier, Dual, 2 Amplifier, 1.4MHz, $1.3V/\mu s$, \pm 15V, SOIC, 16Pins

Manufacturers	ON Semiconductor, LLC
Package/Case	SOIC-16
Product Type	Amplifier ICs
RoHS	Green



Images are for reference only

Please submit RFQ for TCA0372DWG or Email to us: sales@ovaga.com We will contact you in 12 hours.

General Description

The TCA0372 is a monolithic circuit intended for use as a power op-amp in a wide range of applications, including servo amplifiers and power supplies. No deadband crossover distortion provides better performance for driving coils.

Features

Lifecycle

Output Current to 1.0 A

Slew Rate of 1.3 V/ μ s

Wide Bandwidth of 1.1 MHz

Internal Thermal Shutdown

Single or Split Supply Operation

Excellent Gain and Phase Margins

Common Mode Input Includes Ground

Zero Deadband Crossover Distortion

Application

ONSEMI





Related Products



TCA0372BDP1G



ON Semiconductor, LLC



ON Semiconductor, LLC SOIC-16

TCA0372DP1

ON Semiconductor, LLC PDIP-8



TCA0372DP1G ON Semiconductor, LLC PDIP-8





ON Semiconductor, LLC SOIC-16

TCA0372DP2

ON Semiconductor, LLC PDIP-16

TCA0372DP2G

ON Semiconductor, LLC PDIP-16

TCA0372DM2ELG



ON Semiconductor, LLC SOEIAJ-16



Ovaga Technologies Limited