



Data Sheet

RFO

Precision 1.7g, -1.7g, 5g, -5g, 18g, -18g Single-/ Dual-Axis iMEMS Accelerometer

Manufacturers <u>Analog Devices, Inc</u>


Package/Case CLCC8

Product Type Acceleration Sensors

RoHS

Lifecycle

Please submit RFQ for ADW22035Z or Email to us: sales@ovaga.com We will contact you in 12 hours.



Images are for reference only

General Description

The ADXL103 is a high precision, low power, complete single-axis accelerometer with signal conditioned voltage outputs, all on a single, monolithic IC. The ADXL103 measures acceleration with a full-scale range of ± 1.7 g, ± 5 g, or ± 18 g. The ADXL103 can measure both dynamic acceleration (for example, vibration) and static acceleration (for example, gravity).

The typical noise floor is $110 \,\mu\text{g}/\text{Hz}$, allowing signals below $1 \,\text{mg} \, (0.06^{\circ} \, \text{of inclination})$ to be resolved in tilt sensing applications using narrow bandwidths (<60 Hz).

The user selects the bandwidth of the accelerometer using Capacitor CX and Capacitor CY at the XOUT and YOUT pins. Bandwidths of 0.5 Hz to 2.5 kHz can be selected to suit the application.

The ADXL103 is available in a 5 mm × 5 mm × 2 mm, 8-terminal ceramic LCC package.

Applications:

Platform stabilization/leveling

Navigation

Alarms and motion detectors

High accuracy, 2-axis tilt sensing

Vibration monitoring and compensation

Abuse event detection

Features

High performance, single-axis accelerometer on a single IC chip

 $5 \text{ mm} \times 5 \text{ mm} \times 2 \text{ mm LCC package}$

1 mg resolution at 60 Hz

Low power: 700 µA at>

High zero g bias stability

High sensitivity accuracy

X and Y axes aligned to within 0.1° (typical)

Bandwith adjustment with a single capacitor

Single-supply operation

3500 g shock survival

RoHS-compliant

Compatible with Sn/Pb- and Pb-free solder processes

Related Products



AD584KN
Analog Devices, Inc
DIP-8



AD9501JN

Analog Devices, Inc

DIP-20



AD1849KPZ
Analog Devices, Inc
PLCC-4



Analog Devices, Inc

Application

Platform stabilization/leveling

Navigation

Alarms and motion detectors

High accuracy, 2-axis tilt sensing

Vibration monitoring and compensation

Abuse event detection



AD584LH
Analog Devices, Inc
TO-99



AD1845JP
Analog Devices, Inc
PLCC-68



AD9837ACPZ
Analog Devices, Inc
SOPDIP



Analog Devices, Inc 8-PDIP

AD584JN