

24FC256-I/ST

Data Sheet

RFO

EEPROM Serial-I2C 256K-bit 32K x 8 1.8V/2.5V/3.3V/5V 8-Pin TSSOP Tube

Manufacturers	Microchip Technology, Inc	The second
Package/Case	TSSOP-8	
Product Type	Memory	Sto -
RoHS	Rohs	
Lifecycle		Images are for reference only

General Description

The Microchip Technology Inc. 24FC256 is a 256Kb (32K x 8) Serial Electrically Erasable PROM (EEPROM), capable of operation across a broad voltage range (1.7V to 5.5V). It has been developed for advanced, low-power applications such as personal communications or data acquisition. This device also has a page write capability of up to 64 bytes of data. This device is capable of both random and sequential reads up to the 256K boundary. Functional address lines allow up to eight devices on the same bus, for up to 2 Mbit address space. This device is available in the standard 8-pin plastic DIP, SOIC, TSSOP, MSOP and DFN packages.

Please submit RFQ for 24FC256-I/ST or Email to us; sales@oyaga.com We will contact you in 12 hours.

Features

- Reliable EEPROM Memory
- 32K x 8 (256Kbit)
- Self-Timed Erase/Write Cycle
- 64-Byte Page Write Buffer
- Page Write Time 5 ms Max.
- Hardware Write-Protect Pin
- Factory Programming Available
- Low Power
- Operating voltage 1.7V to 5.5V
- Read current 400 uA, max.
- Standby current 1 uA, max.
- 2-Wire Serial Interface, I2C[™] Compatible
- Cascadable up to Eight Devices
- Schmitt Trigger Inputs for Noise Suppression
- Output Slope Control to Eliminate Ground Bounce
- 400 kHz and 1MHz Clock Compatible
- ESD Protection >4000V
- Pb-Free and RoHS Compliant

Related Products



AT24CM02-SSHM-B

Microchip Technology, Inc SOIC-8



24FC512-I/SM

Microchip Technology, Inc SOIJ-8





AT24CM02-SSHD-B

Microchip Technology, Inc SOIC-8

24AA512-I/SM

Microchip Technology, Inc SOIJ-8



AT24C512C-SSHM-T

Microchip Technology, Inc SOIC-8



24LC256-I/ST

Microchip Technology, Inc TSSOP-8



24LC32AT-I/SN

Microchip Technology, Inc SOIC-8



AT24C04D-MAHM-T

Microchip Technology, Inc UDFN-8