

Dual 4-Bit Decade And Binary Counters 20-LCCC -55 to 125

Manufacturers	<a href="#">Analog Devices, Inc</a>
Package/Case	TSSOP-36
Product Type	Power Management ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX6954AAX or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

## General Description

MAX6954AAX is a Maxim Integrated chip that is part of the MAX6954 family of LED display drivers. It is a compact, serial-interfaced display driver that is designed to drive up to 16 digits or 128 LEDs, which makes it ideal for use in a wide range of applications, including instrumentation, consumer electronics, and industrial control systems.

## Features

- 16-Digit or 128-LED Display Driver
- Constant-Current Segment Outputs: 5-90mA
- Serial Interface: SPI and I2C Compatible
- Low-Power Shutdown Mode
- Digit/Segment Blinking and Intensity Control
- LED Open-Circuit Detection

## Application

- Industrial Control Systems
- Instrumentation
- Consumer Electronics
- Gaming Machines
- Point-of-Sale Displays



### Related Products



[MAX813L](#)

Analog Devices, Inc



[MAX8869EUE33](#)

Analog Devices, Inc  
TSSOP-16




[MAX7219CWG+T](#)

Analog Devices, Inc  
SOIC-24



[MAX1951ESA](#)

Analog Devices, Inc  
SOIC-8



[MAX811SEUS+T](#)

Analog Devices, Inc  
SOT-4



[MAX1708EEE](#)

Analog Devices, Inc  
QSOP-16



[MAX8556ETE](#)

Analog Devices, Inc  
TQFN-16



[MAX618EEE](#)

Analog Devices, Inc  
QSOP-16