

Analog Switch Quad SPST 16-Pin TSSOP T/R

Manufacturers	<u>Analog Devices, Inc</u>
Package/Case	TSSOP-16
Product Type	Analog Switch ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for ADG1611BRUZ-REEL7 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The ADG1613 exhibits break-before-make switching action for use in multiplexer applications. Inherent in the design is the low charge injection for minimum transients when switching the digital inputs.

The ultralow on resistance of these switches make them ideal solutions for data acquisition and gain switching applications where low on resistance and distortion is critical. The on resistance profile is very flat over the full analog input range, ensuring excellent linearity and low distortion when switching audio signals.

The CMOS construction ensures ultralow power dissipation, making them ideally suited for portable and battery-powered instruments.

Product Highlights

1.6 Ω maximum on resistance over temperature

Minimum distortion: THD +>

3 V logic-compatible digital inputs: = 0.8 V

No VL logic power supply required.

Ultralow power dissipation: <16 nW

16-lead TSSOP and 16-lead, 4 mm \times 4 mm LFCSP

Features

1 Ω typical on resistance

0.2 Ω on resistance flatness

3.3 V to 16 V single-supply operation

No VL supply required

3 V logic-compatible inputs

Rail-to-rail operation

See data sheet for additional features

Application

Communication systems

Medical systems

Audio signal routing

Video signal routing

Automatic test equipment

Data acquisition systems

Battery-powered systems

Sample-and-hold systems

Relay replacements

ATTENTION
OBSERVE PRECAUTIONS
FOR HANDLING
ELECTROSTATIC
SENSITIVE DEVICES

CAUTION
SENSITIVE ELECTRONIC DEVICES
DO NOT OPEN EXCEPT AT
APPROVED FIELD FORCE
PROTECTIVE WORK STATION

FRAGILE



**ANALOG
DEVICES**

COUNTRY OF ASSEMBLY: TAIWAN, CHINA

COUNTRY OF DIFFUSION: IRELAND

(Q)QTY: 1000



(9D)DATE CODE: 2152



(1T)LOT NUMBER:



(1P)MFG NO: ADG1611BRUZ-REEL7



MSL 1
PPBT = 260°C
e3

Related Products



[ADV7181CBSTZ](#)

Analog Devices, Inc
LQFP-64



[AD8170AR](#)

Analog Devices, Inc
SOP8



[AD724JR](#)

Analog Devices, Inc
SOIC-16



[ADV7393BCPZ](#)

Analog Devices, Inc
LFCSP-VQ-40



[ADV7391WBCPZ](#)

Analog Devices, Inc
LFSCP-3



[ADV7390BCPZ](#)


Analog Devices, Inc
QFN32



[ADV7341BSTZ](#)

Analog Devices, Inc

LQFP-64



[ADUM4160BRIZ](#)

Analog Devices, Inc

SOIC-16