

## LT1617ES5#TRMPBF

Data Sheet

Conv DC-DC 1.2V to 15V Inv Single-Out -34V 0.4A Micropower 5-Pin TSOT-23 T/R

Manufacturers Analog Devices, Inc.

Package/Case TSOT23

Product Type Power Management ICs

RoHS Pb-free Halide free



Images are for reference only

Please submit RFQ for LT1617ES5#TRMPBF or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

## **General Description**

Lifecycle

The LT1617/LT1617-1 are micropower inverting DC/DC converters in a 5-lead SOT-23 package. The LT1617 is designed for higher power systems with a 350mA current limit and an input voltage range of 1.2V to 15V, whereas the LT1617-1 is intended for lower power and single-cell applications with a 100mA current limit and an extended input voltage range of 1V to 15V. Otherwise, the two devices are functionally equivalent. Both devices feature a quiescent current of only  $20\mu$ A at no load, which further reduces to  $0.5\mu$ A in shutdown. A current limited, fixed off-time control scheme conserves operating current, resulting in high efficiency over a broad range of load current. The 36V switch allows high voltage outputs up to -34V to be easily generated without the use of costly transformers. The LT1617's low off-time of 400ns permits the use of tiny, low profile inductors and capacitors to minimize footprint and cost in space-conscious portable applications.

cation
•

Low Quiescent Current: LCD Bias

20µA in Active Mode Handheld Computers

Operates with VIN as Low as 1V Battery Backup

Low VCESAT Switch: 250mV at 300mA Digital Cameras

Uses Small Surface Mount Components

High Output Voltage: Up to -34V

Tiny 5-Lead SOT-23 Package





## **Related Products**



LT3763EFE
Analog Devices, Inc
TSSOP28



LTC4417IUF

Analog Devices, Inc

QFN-24



LT1038CK
Analog Devices, Inc
TO-3



LTC3440EMS
Analog Devices, Inc
MSOP10



LTC1966CMS8#PBF
Analog Devices, Inc
MSOP-8P



Analog Devices, Inc 10MSOP

LTC2990IMS#PBF



LTM8045EY#PBF
Analog Devices, Inc
BGA40



LT4295IUFD#PBF
Analog Devices, Inc
28-WFQFN