

8 Bit MCU, Low Power High Performance, AVR ATtiny Family ATtiny16 Series Microcontrollers, 12 MHz

Manufacturers	Microchip Technology, Inc
Package/Case	SOIC-20
Product Type	Embedded Processors & Controllers
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for ATTINY1634-SU or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)


General Description

The high-performance Microchip picoPower® 8-bit AVR® RISC-based microcontroller combines 16 KB Flash memory, 256B EEPROM, 1 KB SRAM, 18 general purpose I/O lines, 32 general purpose working registers, one 8-bit timer/counter, one 16-bit timer/counter, two full-duplex USARTs with Start Frame Detection, a universal serial interface (USI), I²C slave, internal and external Interrupts, a 12-channel 10-bit A/D converter, programmable watchdog timer with Ultra-Low Power internal oscillator, and four software selectable power saving modes. The device operates between 1.8-5.5 volts.

By executing powerful instructions in a single clock cycle, the device achieves throughputs approaching one MIPS per MHz, balancing power consumption and processing speed.



Related Products




[ATSAMA5D36A-CU](#)

Microchip Technology, Inc
LFBGA-324



[ATXMEGA128D3-AU](#)

Microchip Technology, Inc
TQFP-64



[ATMEGA64M1-15AZ](#)

Microchip Technology, Inc
TQFP-32



[ATMEGA32M1-AU](#)

Microchip Technology, Inc
TQFP-32



[ATTINY2313V-10SU](#)

Microchip Technology, Inc
SOIC-20



[ATMEGA16L-8PU](#)

Microchip Technology, Inc
PDIP-40



[ATTINY48-MU](#)

Microchip Technology, Inc

VQFN-32



[ATTINY4-TSHR](#)

Microchip Technology, Inc

SOT-23-6