

32, 64, 128, and 256 Mbit (Monolithic)


Manufacturers [Intel Corp](#)

Package/Case BGA

Product Type Memory

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for 28F320J3D75 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

28F320J3D75 is a flash memory chip manufactured by Intel. Here are some of its features:

Features

It has a capacity of 32 megabytes (MB).

It uses NOR flash memory technology.

It has a 75 nanosecond (ns) access time.

It operates at a voltage range of 2.7 to 3.6 volts.

It has a 16-bit data bus width.

It comes in a 56-pin TSOP package.

Application

Set-top boxes

Digital cameras

Printers

Gaming consoles

Automotive systems





Figure 4. Easy BGA Mechanical Specifications



Related Products



[PC28F128P30B85](#)

Intel Corp
BGA64



[DT28F160S5-70](#)

Intel Corp
SSOP56



[PC28F256P30T85](#)

Intel Corp
BGA-64



[JS28F128J3F75](#)

Intel Corp
TSOP-56



[PC28F256P30B85](#)

Intel Corp
BGA64



[28F640J3D75](#)

Intel Corp
BGA



[P8284A](#)

Intel Corp
DIP-18



[DT28F320S5-90](#)

Intel Corp
SSOP-56